

THE OFFICIAL JOURNAL OF THE AMERICAN SOCIETY OF CLINICAL PSYCHOPHARMACOLOGY

Supplementary Material

- Article Title: Sultans of Swing: A Reappraisal of the Intertwined Association Between Affective Lability and Mood Reactivity in a Post Hoc Analysis of the BRIDGE-II-MIX Study
- Author(s): Norma Verdolini, MD, PhD; Giulia Menculini, MD; Giulio Perugi, MD; Andrea Murru, MD, PhD; Ludovic Samalin, MD, PhD; Jules Angst, MD; Jean-Michel Azorin, MD, PhD; Charles L. Bowden, MD; Sergey Mosolov, MD, PhD; Allan H. Young, MD, PhD; Margherita Barbuti, MD; Dina Popovic, MD, PhD; Eduard Vieta, MD, PhD; and Isabella Pacchiarotti, MD, PhD; for the BRIDGE-II-MIX Study Group
- DOI Number: https://doi.org/10.4088/JCP.17m12082

List of Supplementary Material for the article

1. <u>Table 1</u> Stepwise Backward Multiple Logistic Regression Model of RBDC-MXS Hypo/manic Symptoms Associated With AL or MR

Disclaimer

This Supplementary Material has been provided by the author(s) as an enhancement to the published article. It has been approved by peer review; however, it has undergone neither editing nor formatting by in-house editorial staff. The material is presented in the manner supplied by the author.

© Copyright 2019 Physicians Postgraduate Press, Inc.

Supplementary Table 1 Stepwise backward multiple logistic regression model of RBDC-MXS hypo/manic symptoms associated with AL or MR

	MDE-AL vs MDE-noAL*			MDE-MR vs MDE-noMR [†]		
Variables in the Equation	Wald	OR (95% CI)	Р	Wald	OR (95% CI)	Р
Irritable mood	187.978	5.36 (4.21-6.81)	<.001	15.341	1.50 (1.23-1.84)	<.001
Racing thoughts	16.279	2.08 (1.46-2.97)	<.001	6.203	1.48 (1.09-2.02)	.013
More talkative/pressure to keep talking	22.884	2.49 (1.71-3.61)	<.001	10.694	1.74 (1.25-2.43)	.001
Distractibility	82.459	3.13 (2.45-4.00)	<.001	12.382	1.48 (1.19-1.85)	< .001
Increased energy	-	-	-	2.805	1.44 (1.44-0.94)	.094
Impulsivity	16.314	2.02 (1.44-2.85)	< .001	12.655	1.72 (1.27-2.31)	< .001
Risky behavior	3.220	0.65 (0.40-1.04)	.073	8.153	0.55 (0.37-0.83)	.004
Grandiosity	2.958	1.78 (0.92-3.43)	.085	-	-	-
Elation	18.572	3.97 (2.12-7.43)	<.001	-	-	-
Verbal or physical aggression	3.800	0.72 (0.52-1.00)	.051	-	-	-

AL=affective lability; MDE=major depressive episode; MDE-AL=patients with a major depressive episode with affective lability; MDE-noAL=patients with a major depressive episode without affective lability; MDE-MR=patients with a major depressive episode without affective lability; MDE-MR=patients with a major depressive episode without mood reactivity; MDE-noMR=patients with a major depressive episode without mood reactivity; MR=mood reactivity; RBDC-MXS=research-based

diagnostic criteria for depressive mixed states.

*Chi-square=869.808; df=5; P < .001; variables not in the equation: psychomotor agitation, hyperactivity, increased energy, hyper-sexuality.

[†]Chi-square=178.965; df=7; P < .001; variables not in the equation: psychomotor agitation, verbal or physical aggression, hyperactivity, grandiosity, elation, hyper-sexuality